



**ChemoiL**  
advance technology



**BELL SEAL**  
VALVES  
private limited

**G & C Valves**

 **Elmac Envisafe**  
Technologies

**MASCOT**  
Better Value. Faster Delivery. Any Process.

**CESARE BONETTI**  
QUALITY VALVES & LEVEL GAUGES

**GALASSI&ORTOLANI**

**LESER**

**BFLON**<sup>®</sup>  
Lined Valves

**nivz**  
VALVES & AUTOMATION

 **EMERSON**  
Process Management

 **OsecoElfab**

**WOODFIELD**

Safe Hands

 **Sealmax**  
One stop sealing solutions

 **QUARIUS**  
INDUSTRIES

[www.chemoilindia.com](http://www.chemoilindia.com)



## BELL-O-SEAL VALVES

- » Bellow Seal Gate & Globe Valves
- » Thermic Fluid, Ammonia, Hydrogen, Steam, Hydrochloric Acid applications
- » Chlorine Bellow Seal Valves
- » Chlorine Ball Valves
- » EURO CHLOR approved GEST 06/318 pamphlet 6
- » Valve Size : 1/2" to 36"
- » Pressure Rating : 150# to 2500#
- » Min. 10000 cycle operations
- » Zero Leak to Atmosphere
- » IBR, EIL, CE, API600/602 certification

## CESARE BONETTI

- » Gate, Globe, Check Valves
- » Ball Valves, Butterfly Valves
- » ROVs / MOVs / ESDVs / TOBVs
- » Valve Size : 1/2" to 72"
- » Pressure Rating : 150# to 4500#
- » Piston Valves for Steam & Thermic Fluid
- » Glass Level Gauge, Magnetic Level Gauge
- » Bi-color Level Gauges, Steam Manifolds
- » API-6D, Fire-safe, IBR, ATEX, SIL-III certification

## CESARE BONETTI

QUALITY VALVES & LEVEL GAUGES



## NIVZ VALVES

- » Half & Full Jacketed Valves
- » Half & Full Jacketed Strainers
- » Half & Full Jacketed Sight Glass
- » Non Jacketed Valves
- » Gate, Globe, Check, Ball Valves
- » 3 Way, 2 Way Ball Valve
- » 1 PC, 2 PC FB Design Ball Valve
- » Double Window Sight Glass
- » Tube Type Sight Glass
- » Y Type Strainers, T Type Strainers
- » Conical Strainers
- » Simplex & Duplex Type Basket Strainer



## G & C Valves



## G & C VALVES

- » Standard Lubricated Plug Valves
- » Pressure Balanced Lubricated Plug Valve
- » Valve Size : 1/2" to 36"
- » Pressure Rating : 150# to 2500#
- » Full bore Lubricated Plug Valves
- » Teflon Sleeved Plug Valves
- » Jacketed Plug Valves
- » Pneumatic Actuated Plug Valves
- » Electrical Actuated Plug Valves

## GALASSI & ORTOLANI


### Diaphragm Valve

- » Standard Diaphragm Valve
- » Straight Through Diaphragm Valves
- » Lined and Un-Lined Diaphragm Valves

### Pinch Valves

- » Hand-wheel Operated Pinch Valves
- » On-Off type Pinch Valves
- » Electrical / Pneumatically Actuated Valves

## GALASSI&ORTOLANI



## Emerson Automation Solutions

- » Self Actuated Pressure Control Valve (SAPCV)
- » Direct Operating Regulators
- » Back Pressure Regulators
- » Pilot Operated Regulators
- » Slam shut off Valves
- » Pressure Reducing Station for Steam / CNG / LNG
- » Fisher / Tartarini / Jeon / Tescom



## ELMAC ENVISAFE

- » Pressure Vacuum Relief Valve (PVRV Or Breather Valve)
- » In-Line detonation flame arresters
- » In-Line deflagration flame arresters
- » End of line deflagration flame arresters
- » Emergency Relief Vents
- » All Elmac arresters are designed and manufactured according to latest standard EN ISO 16852
- » All products certified to ATEX 94/9/EC

## LESER INDIA

- » Safety Relief Valves for Steam / Gas / Liquid
- » Thermal Relief Valves
- » Safety Valves for Clean Services
- » Valve Size: 3/8" to 12"
- » Pressure Rating: 150# to 2500#
- » PTFE Lined Safety Valves for Corrosive Application
- » Pilot Operated Safety Valve
- » IBR/ASME-UV stamp/ CCOE/ API/EIL Approved



## OsecoElfab

### Rupture Discs

- » Reverse Buckling Rupture Disc
- » Forward Acting Rupture Disc
- Safety Cartridge Type Rupture Disc**
- » Screw Type Rupture Disc , Double Acting Rupture Disc
- » Rupture Disc for ISO Tank Safety
- » Rupture Disc for Clean service (Pharmaceuticals)
- » Explosion Vents
- » Unique Reusable type Burst Alert Sensor (Flo-Tel)
- » Unique Universal Holder which can fits to Different Flange Standards and Ratings



## MASCOT

- » General and Severe service, 3-Way, Angle Globe Control Valves
- » Double offset butterfly Control and On-Off valves
- » V-Notch Ball Control Valves
- » Full Bore Ball Valves
- » Eccentric Plug Control Valves
- » Flush Bottom Valves
- » Desuperheaters
- » Valve Size: 1/2" to 72"
- » Pressure Rating: 150# to 2500#
- » IBR, EIL, CE, API600/602 certification

## BFLON LINED VALVES

- » Lined Ball Valve
- » Lined Butterfly Valve
- » Lined Diaphragm Valve
- » Lined Plug Valve
- » Lined Ball Type Check Valve
- » Lined Wafer Type Check Valve
- » Lined Gate Valve
- » Lined Globe Valve
- » Lined Double Window Type Sight Glass
- » Lined Tube Type Full View Sight Glass
- » Lined Y Type Strainer

**BFLON**<sup>®</sup>  
Lined Valves



**WOODFIELD**

Safe Hands



## WOODFIELD

- » Premier design, manufacturing, sales & service organization providing customized bulk fluid handling and safety access solutions for loading and unloading product
- » Top & Bottom Loading Arms, Floating Suction Units for Storage Tanks, Metering Skids
- » Folding Stairs Access Gangways, Ramp Access Gangways and Safety Cages
- » Folding stairs, Gangways, with or without safety cage (Fall Prevention)
- » Loading/Un-loading Arms





## SEALMAX

### Non-Metallic

- » PTFE, Structured PTFE, EPTFE etc. (Cut Gaskets and Sheets)
- » Rubber and Graphite Gaskets and Sheets
- » PTFE, Graphite, Multifilament type Packings
- » PTFE Envelope Gaskets
- » Non-Asbestos Gaskets and Sheets
- » Various Type of Tapes and Ropes

### Metallic

- » Spiral Wound Gaskets
- » Kammprofile, Jacketed

## AQUARIUS INDUSTRIES

### » Product Range

- » Bolts, Nuts, Threaded Bars, Bolt Washers, U-bolts, Eye Bolts

### Material Grades

- » Stainless Steel - 304, 304L, 316, 316L, 316 Ti, 310, 202...
- » High Tensile - 8.8, 10.9, 12.9, B7/2H
- » Carbon Steel
- » Polymer/ Elastomer Coated

### Diameter and Length

- » Dia 8mm to 75mm & Length up to 2000mm

### Specification

- » IS / BS / DIN / ISO / AS / ASTM / ASME (Or as per Non Standard, Drg. Sample)



## OUR CLIENTS

